

* Not reported: age or race category has less than 5 births

----- MORBIDITY -----			----- MORTALITY -----			
REPORTED* CASES OF SELECTED DISEASES			Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.			
Disease	Number		TOTAL DEATHS	104	Selected	
Campylobacter Enteritis	0		Crude Death Rate	1,034	Underlying Cause	Deaths Rate
Giardiasis	<5				Heart Disease (total)	32 318
Hepatitis Type A	0				Ischemic heart disease	25 249
Hepatitis Type B**	0		Age	Deaths Rate	Cancer (total)	24 239
Hepatitis NANB/C	<5		1-4	.	Trachea/Bronchus/Lung	7 .
Legionnaire's	0		5-14	.	Colorectal	2 .
Lyme	0		15-19	1 .	Female Breast	1 .*
Measles	0		20-34	2 .	Cerebrovascular Disease	8 .
Meningitis, Aseptic	0		35-54	6 .	Lower Resp. Disease	7 .
Meningitis, Bacterial	0		55-64	9 .	Pneumonia & Influenza	5 .
Mumps	0		65-74	11 .	Accidents	2 .
Pertussis	0		75-84	35 5,662	Motor vehicle	2 .
Salmonellosis	<5		85+	40 16,847	Diabetes	2 .
Shigellosis	0				Infectious & Parasitic	. .
Tuberculosis	<5				Suicide	1 .
* 2001 provisional data			Infant		* Rate for female breast cancer based on female population.	
** Includes all positive HBsAg test results			Mortality	Deaths Rate	ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH	
			Total Infant	.	Alcohol	. .
			Neonatal	.	Other Drugs	2 .
			Postneonatal	.	Both Mentioned	. .
			Unknown	.	----- MOTOR VEHICLE CRASHES -----	
Sexually Transmitted Disease					Note: These data are based on location of crash, not on residence.	
Chlamydia Trachomatis	20		Race of Mother		Type of Motor	Persons Persons
Genital Herpes	<5		White	.	Vehicle Crash	Injured Killed
Gonorrhea	6		Black	.	Total Crashes	79 0
Syphilis	0		Other	.	Alcohol-Related	19 0
			Unknown	.	With Citation:	
----- IMMUNIZATIONS -----			Birthweight		For OWI	8 0
Children in Grades K-12 by			<1,500 gm	.	For Speeding	0 0
Compliance Level			1,500-2,499 gm	.	Motorcyclist	2 0
Compliant	1,938		2,500+ gm	.	Bicyclist	0 0
Non-compliant	56		Unknown	.	Pedestrian	1 0
Percent Compliant	97.2		Perinatal			
			Mortality	Deaths Rate		
			Total Perinatal	.		
			Neonatal	.		
			Fetal	.		

HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
Injury-Related: All						Alcohol-Related					
Total	102	10.1	4.4	\$14,949	\$152	Total	49	4.9	4.4	\$5,745	\$28
<18	16	18-44	22	6.9	3.8	\$5,080	\$35
18-44	19	45-64	21	8.8	4.0	\$6,310	\$55
45-64	20	8.4	3.0	\$10,674	\$89	Pneumonia and Influenza					
65+	47	24.3	5.3	\$16,125	\$392	Total	39	3.9	3.9	\$8,678	\$34
Injury: Hip Fracture						<18	7
Total	13	45-64	2
65+	13	65+	26	13.4	4.2	\$8,661	\$116
Injury: Poisonings						Cerebrovascular Disease					
Total	5	Total	28	2.8	2.2	\$9,093	\$25
18-44	0	45-64	8
Psychiatric						65+	20	10.3	2.5	\$9,715	\$100
Total	60	6.0	6.5	\$6,477	\$39	Chronic Obstructive Pulmonary Disease					
<18	16	Total	40	4.0	4.0	\$8,345	\$33
18-44	22	6.9	5.0	\$5,705	\$39	<18	7
45-64	13	18-44	3
65+	9	45-64	7
Coronary Heart Disease						65+	23	11.9	4.4	\$9,129	\$109
Total	99	9.8	2.6	\$14,688	\$145	Drug-Related					
45-64	42	17.6	2.4	\$13,955	\$245	Total	4
65+	54	27.9	2.9	\$15,418	\$431	18-44	1
Malignant Neoplasms (Cancers): All						Total Hospitalizations					
Total	48	4.8	5.6	\$15,496	\$74	Total	1,344	133.6	3.6	\$9,712	\$1,298
18-44	2	<18	225	88.6	3.5	\$6,242	\$553
45-64	14	18-44	297	93.4	2.8	\$6,853	\$640
65+	31	16.0	5.3	\$14,128	\$227	45-64	299	125.1	3.2	\$10,102	\$1,264
Neoplasms: Female Breast (rates for female population)						65+	523	270.5	4.3	\$12,606	\$3,410
Total	3	----- PREVENTABLE HOSPITALIZATIONS* -----					
Neoplasms: Colo-rectal						Total	214	21.3	3.6	\$7,989	\$170
Total	4	<18	24	9.4	2.3	\$5,567	\$53
65+	4	18-44	25	7.9	2.6	\$5,800	\$46
Neoplasms: Lung						45-64	50	20.9	3.3	\$7,683	\$161
Total	6	65+	115	59.5	4.1	\$9,104	\$541
Diabetes						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					
Total	11						
65+	2						